open.michigan

Author(s): Jonathan D. Trobe, M.D.

License: Unless otherwise noted, this material is made available under the terms of the **Creative Commons Attribution License**: http://creativecommons.org/licenses/by/3.0/

We have reviewed this material in accordance with U.S. Copyright Law and have tried to maximize your ability to use, share, and adapt it. The citation key on the following slide provides information about how you may share and adapt this material.

Copyright holders of content included in this material should contact **open.michigan@umich.edu** with any questions, corrections, or clarification regarding the use of content.

For more information about **how to cite** these materials visit http://open.umich.edu/education/about/terms-of-use.

Any **medical information** in this material is intended to inform and educate and is **not a tool for self-diagnosis** or a replacement for medical evaluation, advice, diagnosis or treatment by a healthcare professional. Please speak to your physician if you have questions about your medical condition.

Viewer discretion is advised: Some medical content is graphic and may not be suitable for all viewers.





Citation Key

for more information see: http://open.umich.edu/wiki/CitationPolicy

Use + Share + Adapt

{ Content the copyright holder, author, or law permits you to use, share and adapt. }

Public Domain – Government: Works that are produced by the U.S. Government. (USC 17 § 105)

Public Domain – Expired: Works that are no longer protected due to an expired copyright term.

Public Domain - Self Dedicated: Works that a copyright holder has dedicated to the public domain.

Creative Commons – Zero Waiver

Creative Commons – Attribution License

Creative Commons – Attribution Share Alike License

Creative Commons – Attribution Noncommercial License

Creative Commons – Attribution Noncommercial Share Alike License

GNU – Free Documentation License

Make Your Own Assessment

{ Content Open. Michigan believes can be used, shared, and adapted because it is ineligible for copyright. }

Public Domain – Ineligible: Works that are ineligible for copyright protection in the U.S. (USC 17 § 102(b)) *laws in your jurisdiction may differ

{ Content Open.Michigan has used under a Fair Use determination. }

Fair Use: Use of works that is determined to be Fair consistent with the U.S. Copyright Act. (USC 17 § 107) *laws in your jurisdiction may differ


Our determination **DOES NOT** mean that all uses of this 3rd-party content are Fair Uses and we **DO NOT** guarantee that your use of the content is Fair.


To use this content you should **do your own independent analysis** to determine whether or not your use will be Fair.

CLINICAL FEATURES OF VISUAL AND OCULAR MOTOR DISORDERS

Jonathan D. Trobe, MD
Departments of Ophthalmology and Neurology
University of Michigan Medical School

















Source Undetermined














Nikki Selewski


Image of a doctor performing a visual field exam was removed.


Image of a doctor performing an eye exam was removed.

























Right Complete Homonymous Hemianopia














Ocular Motor System

- 1. Move the Eyes from One Equidistant Target to Another ("Saccades")
- 2. Move the Eyes from Distant to Near Target or Vice Versa ("Vergence")
- 3. Keep the Eyes on Target When the Target Moves ("Pursuit")
- 4. Keep the Eyes on Target When the Head Moves ("Vestibulo-ocular")

Saccades

1. Voluntary

- a. Move eyes to target seen in peripheral field ("visually guided")
- b. Move eyes to unseen target ("non visually guided")

2. Involuntary


- a. Rapid eye movements of sleep
- b. Fast phases of nystagmus
- c. Random

Saccades


Test by having patient fixate a stationary target and then look from one target to another

Note whether eyes are still during fixation, and note speed, amplitude, accuracy of refixations, and if oscillations are present


Control of Horizontal Saccades (1)




Control of Horizontal Saccades (2)



Control of Vertical Saccades (1)



Control of Vertical Saccades (2)



Saccadic Disorders

- Absent (gaze palsy)
- 2. Reduced amplitude ("hypometric")
- 3. Slow
- 4. Inaccurate ("dysmetric")
- 5. Intrusive

Vergence

1. Move eyes closer to one another ("convergence")

2. Move eyes farther apart from one another ("divergence")

Vergence

Test by measuring ocular alignment when eyes are focusing on a distant and on a near target

Vergence Pathway

- Generated in both parieto-occipital regions
- 2. Travels to midbrain
- 3. Exact pathway not known

Vergence Disorders

- Excessive convergence
- Insufficient convergence
- Excessive divergence
- Insufficient divergence

Vergence Disorders

- 1. Excessive convergence
 - a. Congenital defect
 - b. Too much accommodation
 - c. Loss of vision
 - d. Nonspecific brain insult
- 2. Insufficient convergence
 - a. Idiopathic
 - b. Nonspecific brain insult

Vergence Disorders

- 1. Excessive Divergence
 - a. Congenital defect
 - b. Loss of vision


- 2. Insufficient Divergence
 - a. Nonspecific brain insult

Pursuit

Test by having patient follow a moving light or finger at about 30 degrees/ second

Note smoothness of motion, amplitude of excursion, presence of oscillations

Control of Horizontal Pursuit



Pursuit Disorders

- 1. Cogwheel ("saccadic")
- 2. Absent


Vestibulo-ocular

In awake patients with intact voluntary eye movements, can test only with special techniques

Vestibulo-ocular

- In comatose patients and in awake patients with poor voluntary eye movements, two tests:
 - 1. Doll's Head Maneuver. Move head rapidly and look for slow contraversive conjugate eye movements
 - 2. Cold Water Calorics. Look for ipsiversive slow conjugate eye movements and perhaps contraversive involuntary saccades ("nystagmus")

Control of Horizontal Vestibulo-ocular Movements



Vestibulo-ocular Disorders

- General hypofunction (creates oscillopsia)
- Imbalance (creates nystagmus)

Supranuclear Gaze Palsy

- Absent voluntary gaze (saccades and pursuit)
- Intact reflex gaze (vestibulo-ocular), elicited by Doll's Head Maneuver or Cold Water Calorics
- Means that brain stem gaze pathways are intact but cerebral gaze pathways are not intact

Additional Source Information

for more information see: http://open.umich.edu/wiki/CitationPolicy

Slide 4 – Source Undetermined

Slide 5 – Source Undetermined

Slide 6 – "Mountain View" Nikki Selewski Creative Commons Attribution License

http://creativecommons.org/licenses/by/3.0/

Slide 7 – "Blurry Mountain View" Nikki Selewski Creative Commons Attribution License http://creativecommons.org/licenses/by/3.0/

Slide 8 – Source Undetermined

Slide 9 – Source Undetermined

Slide 10 – Source Undetermined

Slide 11 – Source Undetermined

Slide 12 – "Obstructed Mountain View" Nikki Selewski Creative Commons Attribution License http://creativecommons.org/licenses/by/3.0/

Slide 13 – "Half of a Mountain View" Nikki Selewski Creative Commons Attribution License http://creativecommons.org/licenses/by/3.0/

Slide 16 – Source Undetermined

Slide 17 - Source Undetermined

Slide 18 - Source Undetermined

Slide 19 - Source Undetermined

Slide 20 - Source Undetermined

Slide 21 - Source Undetermined

Slide 22 – Source Undetermined

Slide 23 – Source Undetermined

Additional Source Information

for more information see: http://open.umich.edu/wiki/CitationPolicy

Slide 24 – Source Undetermined

Slide 25 - Source Undetermined

Slide 26 – Source Undetermined

Slide 27 – Source Undetermined

Slide 28 - Source Undetermined

Slide 29 – Source Undetermined

Slide 33 – Source Undetermined

Slide 34 – Source Undetermined

Slide 35 – Source Undetermined

Slide 36 – Source Undetermined

Slide 45 – Source Undetermined

Slide 49 – Source Undetermined